






# THRON LINE SHOWER

TL5010/TL5011/TL5012/  
TL5013/TL5014/TL5015/TL5016




**polysan** 



Polysan s.r.o.  
Nesměřice 52  
285 22 Zruč nad Sázavou  
Czech Republic  
[www.polysan.net](http://www.polysan.net)









<b>1</b> x1	<b>2</b> x1	<b>3</b> x1	<b>4</b> x1	<b>5</b> x1	<b>6</b> x11
<b>7</b> x10 ST4*40	<b>8</b> x1 1918mm	<b>9</b> x1 1988mm	<b>10</b> x1	<b>11</b> x1 ST4*25	<b>12</b> x1
<b>13</b> x2	<b>14</b> x1	<b>15</b> x1	<b>16</b> x1	<b>17</b> x1	<b>18</b> x1
<b>19</b> x1	<b>20</b> x4 ST4*13	<b>21</b> x4	<b>22</b> x1	<b>23</b> x1	





MODEL	A	B	C
TL5010	980-1010mm	458mm	396mm
TL5011	1080-1110mm	508mm	446mm
TL5012	1180-1210mm	558mm	496mm
TL5013	1280-1310mm	608mm	546mm
TL5014	1380-1410mm	658mm	596mm
TL5015	1480-1510mm	708mm	646mm
TL5016	1580-1610mm	808mm	646mm

























OR





































**24HRS**




# THRON LINE SHOWER

## TL3070/TL3080/TL3090/TL3010







MODEL	A	B	C
TL5010	980-1010mm	458mm	396mm
TL5011	1080-1110mm	508mm	446mm
TL5012	1180-1210mm	558mm	496mm
TL5013	1280-1310mm	608mm	546mm
TL5014	1380-1410mm	658mm	596mm
TL5015	1480-1510mm	708mm	646mm
TL5016	1580-1610mm	808mm	646mm








MODEL	D
TL3070	680-695mm
TL3080	780-795mm
TL3090	880-895mm
TL3010	980-995mm


















**24HRS**



**18**



**Polysan s.r.o.**  
**Nesměřice 52**  
**285 22 Zruč nad Sázavou**  
**Czech Republic**  
**[www.polysan.net](http://www.polysan.net)**

EN 14428

Glass shower enclosure  
cleaning efficiency: conforming  
impact resistance: conforming  
operating life: conforming

Skleněné sprchové zástěny  
schopnost čištění: vyhovuje  
odolnost proti nárazu: vyhovuje  
životnost: vyhovuje